Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	747	(Identity near3 (Steal\$4 or Theft or Fraud or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4)) (((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) near3 key\$2) or ((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) near3 key\$2) or ((Primary or Master or Initial or Session or First) near3 key\$2)) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6) ((Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) with (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) with (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or ID or Identi\$9 or Username\$3 or Login\$2 or Sign\$2 or Account\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 18:07

C2	20	(Identify pears) (Steelt4 or Thether	LIC-DCDLID:	SAME	ON	2007/11/10 17:24
S2	20	(Identity near3 (Steal\$4 or Theft or Fraud or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4)) (((\$4crypt\$5 or \$4cipher\$5 or	US-PGPUB; USPAT; USOCR; EPO; JPO;	SAIVIE	ON	2007/11/10 17:24
	,	\$4scrambl\$5) near3 key\$2) or ((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or	DERWENT; IBM_TDB			
		\$4public\$4) near3 key\$2) or ((Primary or Master or Initial or Session or First) near3 key\$2)) (\$4Trust\$6 or \$4Secur\$4 or				
-		\$4Protect\$4 or Priva\$6) ((Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or				
		Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) with (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or				
	-	Individual\$4 or \$4Subscrib\$4) with (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or ID or Identi\$9 or Username\$3 or Login\$2 or Sign\$2				
		or Account\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))			·	
S3	9	S2 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 18:45

S4	150	((Identity or Personas) near3	US-PGPUB;	AND	ON	2007/11/10 18:34
ļ		(Steal\$4 or Theft or Fraud\$5 or	USPAT;			
		Hack\$4 or compromis\$4 or Hoax or	USOCR;		i i	,
		Trick\$4 or Scam\$4 or Unlawful\$4 or	EPO; JPO;			
		Illegal\$4 or Misuse\$4 or	DERWENT;			
		Eavesdrop\$6 or Repudiat\$6))	IBM_TDB			
		((\$4digital\$4 or authorit\$4 or				
		identity or Personas) near3			•	
		(\$4signatur\$4 or \$4Certific\$8)) (
		((\$4crypt\$5 or \$4cipher\$5 or				
		\$4scrambl\$5) near3 key\$2) or				
		((\$4symmetr\$4 or \$4privat\$3 or	i			
		\$4shar\$3 or \$common\$4 or				
		\$4public\$4) near3 key\$2))	•			
		((Primary or Master or Initial or				
		Session or First) near3 key\$2) (-	
		(\$4Trust\$6 or \$4Secur\$4 or				
		\$4Protect\$4 or Priva\$6) with				
		(Ecommerce or (Electronic adj				
ļ		commerce) or Business or Service))				
		((Generat\$4 or Creat\$4 or				,
1.		Construct\$4 or Obtain\$4 or				
		Determin\$4 or Derive\$4 or				
1		Produc\$4 or Calculat\$4 or				
		Comput\$4 or Process\$4 or defin\$4)				
		with (Consumer\$4 or Client\$4 or		1		
		Customer\$4 or User\$4 or				
		Individual\$4 or \$4Subscrib\$4) with				
		(Sequenc\$4 or Chain\$4 or String\$4				
		or Series\$4 or ID or Identi\$9 or				
		Username\$3 or Login\$2 or Sign\$2				
		or Account\$4 or Password\$2 or				
	,	Pass?phrase\$2 or Secret?code or	·			
		Secret?word or PIN or Login\$2 or				
		Sign\$2))				
CE	1	10/729398	US-PGPUB;	AND	ON	2007/11/10 18:31
55	1	10/123330	USPAT;	ואט	011	2007/11/10 10:51
			USOCR;			
			EPO; JPO;			
			DERWENT;			
			IBM_TDB			,
			מטו_וטג	1	<u> </u>	<u> </u>

S6	9	((Identity or Personas) with	US-PGPUB;	AND ·	ON	2007/11/10 18:50
		(Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or	USPAT; USOCR;			
		Trick\$4 or Scam\$4 or Unlawful\$4 or	EPO; JPO;			
		Illegal\$4 or Misuse\$4 or	DERWENT;		ļ	
		Eavesdrop\$6 or Repudiat\$6 or	IBM_TDB			
		Pharming or Phishing or Carder)	•			
		with (\$4Trust\$6 or \$4Secur\$4 or				
		\$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or				
		Disguis\$4 or Mask\$4) with				
		(\$4commerc\$5 or Business or				,
		Service\$5 or Shopp\$ or Transact\$5)	:			
	i .) ((\$4digital\$4 or authorit\$4 or				
,		identity or Personas) near3				
		(\$4signatur\$4 or \$4Certific\$8)) (
		((\$4crypt\$5 or \$4cipher\$5 or				
		\$4scrambl\$5) near3 key\$2) or		1		
		((\$4symmetr\$4 or \$4privat\$3 or				·
		\$4shar\$3 or \$common\$4 or				
	İ	\$4public\$4) near3 key\$2)) (
		(Identity or Personas) with				
		((Primary or Master or Initial or		٧.		
		Session or First) near3 key\$2)) (
		(Identity or Personas) with	•			
		(\$4Trust\$6 or \$4Secur\$4 or	:			
		\$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or				
		Disguis\$4 or Mask\$4)) ((Generat\$4				
		or Creat\$4 or Construct\$4 or				
		Obtain\$4 or Determin\$4 or Derive\$4				
		or Produc\$4 or Calculat\$4 or				
		Comput\$4 or Process\$4 or defin\$4)				,
		with (Consumer\$4 or Client\$4 or				
		Customer\$4 or User\$4 or				
į.		Individual\$4 or \$4Subscrib\$4) with				
		(Sequenc\$4 or Chain\$4 or String\$4				
		or Series\$4 or ID or Identi\$9 or				
		Username\$3 or Login\$2 or Sign\$2				
		or Account\$4 or Password\$2 or				
		Pass?phrase\$2 or Secret?code or				
	+	Secret?word or PIN or Login\$2 or				
		Sign\$2))				
S7	1	S6 @ad<"20031205"	US-PGPUB;	AND	ON	2007/11/10 18:52
			USPAT;			
		•	USOCR;			
			EPO; JPO;			
		·	DERWENT; IBM_TDB			
	<u> </u>	<u> </u>	1011_100	L		

S8	58	((Identity or Personas) with (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)) ((\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) with (\$4commerc\$5 or Business or Service\$5 or Shopp\$ or Transact\$5)) ((\$4digital\$4 or authorit\$4 or identity or Personas) near3 (\$4signatur\$4 or \$4Certific\$8)) (((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) near3 key\$2) or ((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) near3 key\$2)) ((Identity or Personas) with ((Primary or Master or Initial or Session or First) near3 key\$2)) ((Identity or Personas) with (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4)) ((Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) with (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) with (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or ID or Identi\$9 or Username\$3 or Login\$2 or Sign\$2 or Account\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 19:18
S9	32	Sign\$2)) S8 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 19:39

S10	0	((Identity or Personas) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 19:32
		or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or	_	·		
		Disguis\$4 or Mask\$4)).ti. ((Identity or Personas) (Steal\$4 or Theft or				
		Fraud\$5 or Hack\$4 or compromis\$4				
		or Hoax or Trick\$4 or Scam\$4 or				
		Unlawful\$4 or Illegal\$4 or Misuse\$4				
•		or Eavesdrop\$6 or Repudiat\$6 or				
		Pharming or Phishing or Carder)				
		(\$4Trust\$6 or \$4Secur\$4 or				
		\$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or				
		Disguis\$4 or Mask\$4)).ab. (
	NA ARTHURNOS	(Identity or Personas) with (Steal\$4				
		or Theft or Fraud\$5 or Hack\$4 or				
		compromis\$4 or Hoax or Trick\$4 or				
		Scam\$4 or Unlawful\$4 or Illegal\$4				
		or Misuse\$4 or Eavesdrop\$6 or				
		Repudiat\$6 or Pharming or Phishing				
		or Carder)) ((\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or				
		Priva\$6 or Masquerad\$5 or				
		Camouflag\$4 or Disguis\$4 or				·
		Mask\$4) with (Electronic near3				
		(\$4commerc\$5 or Business or				
		Service\$5 or Shopp\$ or				
		Transact\$5))) ((\$4digital\$4 or				
		authorit\$4 or identity or Personas)				
		near3 (\$4signatur\$4 or \$4Certific\$8)				
) (((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) near3 key\$2) or				
		((\$4symmetr\$4 or \$4privat\$3 or				
		\$4shar\$3 or \$common\$4 or				
	-	\$4public\$4) near3 key\$2)) (
		(Identity or Personas) with				
		((Primary or Master or Initial or				
		Session or First) near3 key\$2)) (
		(Identity or Personas) with (\$4Trust\$6 or \$4Secur\$4 or				
		\$4Protect\$4 or Priva\$6 or				
		Masquerad\$5 or Camouflag\$4 or				,
		Disguis\$4 or Mask\$4)) ((Generat\$4				
-		or Creat\$4 or Construct\$4 or				
		Obtain\$4 or Determin\$4 or Derive\$4				
		or Produc\$4 or Calculat\$4 or				
		Comput\$4 or Process\$4 or defin\$4)				
		with (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or				
		Individual\$4 or \$4Subscrib\$4) with				
11/12/2	007 10:00:58	Individual\$4 or \$4Subscrib\$4) with— PMSequenc\$4 or Chain\$4 or String\$4 this strict with the control of the cont	1200c\ 10720200	3\10720209 ··	l ksp	Page 6
C:\Docu	ments and Se	or Daccwordt? or Dacc?phracet? or	Jace2/10/2336	110/23336.V	Ash	

C11		((Identity or Devenue) (Charles	HC DCDHD.	AND	ONI	2007/11/10 10:25
S11	. 0	((Identity or Personas) (Steal\$4 or	US-PGPUB;	AND	ON	2007/11/10 19:35
	1	Theft or Fraud\$5 or Hack\$4 or	USPAT;			
		compromis\$4 or Hoax or Trick\$4 or	USOCR;			
		Scam\$4 or Unlawful\$4 or Illegal\$4	EPO; JPO;	ļ	!	
		or Misuse\$4 or Eavesdrop\$6 or	DERWENT;			
		Repudiat\$6 or Pharming or Phishing	IBM_TDB			-
		or Carder) (\$4Trust\$6 or \$4Secur\$4	,			
		or \$4Protect\$4 or Priva\$6 or				
		Masquerad\$5 or Camouflag\$4 or			,	
		Disguis\$4 or Mask\$4)).ti. ((Identity				
		or Personas) (Steal\$4 or Theft or				•
		Fraud\$5 or Hack\$4 or compromis\$4				
		or Hoax or Trick\$4 or Scam\$4 or				
		Unlawful\$4 or Illegal\$4 or Misuse\$4				
		or Eavesdrop\$6 or Repudiat\$6 or				,
		Pharming or Phishing or Carder)				
		(\$4Trust\$6 or \$4Secur\$4 or				
	٠	\$4Protect\$4 or Priva\$6 or				
		Masquerad\$5 or Camouflag\$4 or				
		Disguis\$4 or Mask\$4)).ab. (
		(Identity or Personas) with (Steal\$4		·		
		or Theft or Fraud\$5 or Hack\$4 or				
		l · · · · · · · · · · · · · · · · · · ·				
		compromis\$4 or Hoax or Trick\$4 or				
		Scam\$4 or Unlawful\$4 or Illegal\$4				
		or Misuse\$4 or Eavesdrop\$6 or		·.		
		Repudiat\$6 or Pharming or Phishing				
		or Carder)) ((\$4Trust\$6 or				
		\$4Secur\$4 or \$4Protect\$4 or				
	İ	Priva\$6 or Masquerad\$5 or				
		Camouflag\$4 or Disguis\$4 or				
		Mask\$4) with (Electronic with				
		(\$4commerc\$5 or Business or				
		Service\$5 or Shopp\$ or				
		Transact\$5))) ((\$4digital\$4 or				
		authorit\$4 or identity or Personas)				
		with (\$4signatur\$4 or \$4Certific\$8))				
		(((\$4crypt\$5 or \$4cipher\$5 or				
		\$4scrambl\$5) near3 key\$2) or				
		((\$4symmetr\$4 or \$4privat\$3 or				
		\$4shar\$3 or \$common\$4 or				,
		\$4public\$4) near3 key\$2)) (
		(Identity or Personas) with				
		((Primary or Master or Initial or				
		Session or First) near3 key\$2)) (
	ĺ	(Identity or Personas) with				
		(\$4Trust\$6 or \$4Secur\$4 or				
		\$4Protect\$4 or Priva\$6 or				
		Masquerad\$5 or Camouflag\$4 or				
		Disguis\$4 or Mask\$4)) ((Generat\$4				
		or Creat\$4 or Construct\$4 or			ı	
		Obtain\$4 or Determin\$4 or Derive\$4			ı	
		or Produc\$4 or Calculat\$4 or				
	•	Comput\$4 or Process\$4 or defin\$4)				
		with (Consumer\$4 or Client\$4 or				
		Customer\$4 or User\$4 or				
11/12/2	2007 10:00:58	Individual\$4 or \$4Subscrib\$4) with Sequenc\$4.or Chain\$4 or String\$4.			 	Page 7
C:\Doci	uments and Se	f //Sequencs4 or Chains4 or Strings4 ttingstigergiso My Documents (EAST) Worksr or Series\$4 or Ticket\$5 or Token\$4	aces\10729398	\10729398.v	vsp	
					1	
1	1	or Daccword\$? or Dacc?nhraco\$? or	i	1	1	ı

S12	24	((Identity or Personas) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or	US-PGPUB; USPAT; USOCR;	AND	ON	2007/11/10 19:34
		Scam\$4 or Hoax or Frick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4)).ti. ((Identity or Personas) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4)).ab.	DSOCK, EPO; JPO; DERWENT; IBM_TDB			
S13	7	S12 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 19:35

S14	11	((Identity or Personas) with (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or	US-PGPUB; USPAT; USOCR;	AND	ON	2007/11/10 19:53
		Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or	EPO; JPO; DERWENT; IBM_TDB	,		. :
		Pharming or Phishing or Carder)) ((\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or				
•		Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) with (Electronic with (\$4commerc\$5 or				
		Business or Service\$5 or Shopp\$ or Transact\$5))) ((\$4digital\$4 or authorit\$4 or identity or Personas)				
		with (\$4signatur\$4 or \$4Certific\$8)) (((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) near3 key\$2) or				
	÷	((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) near3 key\$2)) (,	·.	
		(Identity or Personas) with ((Primary or Master or Initial or Session or First) near3 key\$2))(
	•	(Identity or Personas) with (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or				·
		Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4)) ((Generat\$4 or Creat\$4 or Construct\$4 or				
		Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4)				
		with (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) with			·	
		(Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))	·			
S15	7	S14 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 19:57

S16	53	((Identity or Personas) with	US-PGPUB;	AND	ON	2007/11/10 19:54
		(Steal\$4 or Theft or Fraud\$5 or	USPAT;			
		Hack\$4 or compromis\$4 or Hoax or	USOCR;			
		Trick\$4 or Scam\$4 or Unlawful\$4 or	EPO; JPO;			
		Illegal\$4 or Misuse\$4 or	DERWENT;			
		Eavesdrop\$6 or Repudiat\$6 or	IBM_TDB	,		
		Pharming or Phishing or Carder)) (,	
		(\$4Trust\$6 or \$4Secur\$4 or				
		\$4Protect\$4 or Priva\$6 or			,	
1 .		Masquerad\$5 or Camouflag\$4 or				
		Disguis\$4 or Mask\$4) with				
		(\$4commerc\$5 or Business or				
		Service\$5 or Shopp\$ or Transact\$5)				
].) ((\$4digital\$4 or authorit\$4 or				
		identity or Personas) with				
		(\$4signatur\$4 or \$4Certific\$8)) (
		((\$4crypt\$5 or \$4cipher\$5 or		· ·		
		\$4scrambl\$5) near3 key\$2) or				
		((\$4symmetr\$4 or \$4privat\$3 or				
		\$4shar\$3 or \$common\$4 or				
		\$4public\$4) near3 key\$2)) ((Identity or Personas) with				
		((Primary or Master or Initial or				
		Session or First) near3 key\$2))(ŀ		
		(Identity or Personas) with				
		(\$4Trust\$6 or \$4Secur\$4 or				
-		\$4Protect\$4 or Priva\$6 or				•
	,	Masquerad\$5 or Camouflag\$4 or			1	
		Disguis\$4 or Mask\$4)) ((Generat\$4				
		or Creat\$4 or Construct\$4 or				
		Obtain\$4 or Determin\$4 or Derive\$4				
		or Produc\$4 or Calculat\$4 or				
		Comput\$4 or Process\$4 or defin\$4)				
	-	with (Consumer\$4 or Client\$4 or				
		Customer\$4 or User\$4 or		· ·		
		Individual\$4 or \$4Subscrib\$4) with				
		(Sequenc\$4 or Chain\$4 or String\$4				
,		or Series\$4 or Ticket\$5 or Token\$4			1	
		or Password\$2 or Pass?phrase\$2 or				
		Secret?code or Secret?word or PIN				·
		or Login\$2 or Sign\$2))				

S17	78	((Identity or Personas) with (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder))((\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) with (\$4commerc\$5 or Business or Service\$5 or Shopp\$ or Transact\$5))((\$4digital\$4 or authorit\$4 or identity or Personas) with (\$4signatur\$4 or \$4Certific\$8))(((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) near3 key\$2) or ((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) near3 key\$2))((Identity or Personas) with (Primary or Master or Initial or Session or First) with key\$2)((Identity or Personas) with (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4))((Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) with (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) with (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 20:05
-		or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))				
S18	46	S17 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 20:09

S19	1214	((Identity or Personas) with (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4)).ti. ((Identity or Personas) with (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 20:04
-----	------	---	---	----	----	------------------

S20	4	(((Identity or Personas) with	US-PGPUB;	AND	ON	2007/11/10 21:06
		(\$4Trust\$6 or \$4Secur\$4 or	USPAT;			
		\$4Protect\$4 or Priva\$6 or	USOCR;			
Ì		Masquerad\$5 or Camouflag\$4 or	EPO; JPO;			
		Disguis\$4 or Mask\$4)).ti. or (DERWENT;	j.		
İ		(Identity or Personas) with (Steal\$4	IBM_TDB	·		
		or Theft or Fraud\$5 or Hack\$4 or	_			
		compromis\$4 or Hoax or Trick\$4 or				
		Scam\$4 or Unlawful\$4 or Illegal\$4				
		or Misuse\$4 or Eavesdrop\$6 or		Ì		,
		Repudiat\$6 or Pharming or Phishing				
		or Carder)).ti.) ((Identity or		·		
		Personas) with (Steal\$4 or Theft or				
		Fraud\$5 or Hack\$4 or compromis\$4				
		or Hoax or Trick\$4 or Scam\$4 or				
}		Unlawful\$4 or Illegal\$4 or Misuse\$4				
ļ	ļ	or Eavesdrop\$6 or Repudiat\$6 or	•			
	1	Pharming or Phishing or Carder)) (
		(\$4Trust\$6 or \$4Secur\$4 or				
			·			
		\$4Protect\$4 or Priva\$6 or				
		Masquerad\$5 or Camouflag\$4 or				
	1	Disguis\$4 or Mask\$4) with				
		(\$4commerc\$5 or Business or		-		,
		Service\$5 or Shopp\$ or Transact\$5)				
) ((\$4digital\$4 or authorit\$4 or				
		identity or Personas) with				
		(\$4signatur\$4 or \$4Certific\$8))(·			
		((\$4crypt\$5 or \$4cipher\$5 or				
		\$4scrambl\$5) near3 key\$2) or				
-		((\$4symmetr\$4 or \$4privat\$3 or				
		\$4shar\$3 or \$common\$4 or				
ļ		\$4public\$4) near3 key\$2)) (
		(Identity or Personas) with (Primary				
		or Master or Initial or Session or				
		First) with key\$2) ((Identity or				
		Personas) with (\$4Trust\$6 or				
		\$4Secur\$4 or \$4Protect\$4 or				
		Priva\$6 or Masquerad\$5 or				
Ì		Camouflag\$4 or Disguis\$4 or				
		Mask\$4)) ((Generat\$4 or Creat\$4				
		or Construct\$4 or Obtain\$4 or				
		Determin\$4 or Derive\$4 or	,			
1		Produc\$4 or Calculat\$4 or				
		Comput\$4 or Process\$4 or defin\$4)				
		with (Consumer\$4 or Client\$4 or				
		Customer\$4 or User\$4 or				
		Individual\$4 or \$4Subscrib\$4) with				
	•	(Sequenc\$4 or Chain\$4 or String\$4				
		or Series\$4 or Ticket\$5 or Token\$4		**		
		or Password\$2 or Pass?phrase\$2 or				
		· · · · · · · · · · · · · · · · · · ·				
		Secret?code or Secret?word or PIN				
		or Login\$2 or Sign\$2))		<u> L</u>	<u> </u>	

S21	2	S20 @ad<"20031205"	US-PGPUB;	AND	ON	2007/11/10 20:14
			USPAT;			1
	•		USOCR;			
			EPO; JPO;			
	*		DERWENT;	1		
			IBM_TDB			

S22	27	(((Identity or Personas) with	US-PGPUB;	AND	ON	2007/11/10 20:58
		(\$4Trust\$6 or \$4Secur\$4 or	USPAT;			
		\$4Protect\$4 or Priva\$6 or	USOCR;			
		Masquerad\$5 or Camouflag\$4 or	EPO; JPO;			
		Disguis\$4 or Mask\$4)).ab. or (DERWENT;			
		(Identity or Personas) with (Steal\$4	IBM_TDB			
		or Theft or Fraud\$5 or Hack\$4 or				
		compromis\$4 or Hoax or Trick\$4 or				
		Scam\$4 or Unlawful\$4 or Illegal\$4				
		or Misuse\$4 or Eavesdrop\$6 or				
		Repudiat\$6 or Pharming or Phishing	٠.		ļ	
		or Carder)).ab.) ((Identity or	·			
·		Personas) with (Steal\$4 or Theft or	* *			
		Fraud\$5 or Hack\$4 or compromis\$4				
		or Hoax or Trick\$4 or Scam\$4 or				
		Unlawful\$4 or Illegal\$4 or Misuse\$4				
		or Eavesdrop\$6 or Repudiat\$6 or				
		Pharming or Phishing or Carder)) (
		(\$4Trust\$6 or \$4Secur\$4 or				
		\$4Protect\$4 or Priva\$6 or				
		Masquerad\$5 or Camouflag\$4 or				
		Disguis\$4 or Mask\$4) with				
		(\$4commerc\$5 or Business or				
		Service\$5 or Shopp\$ or Transact\$5)				
) ((\$4digital\$4 or authorit\$4 or				
		identity or Personas) with				·
		(\$4signatur\$4 or \$4Certific\$8))(
		((\$4crypt\$5 or \$4cipher\$5 or				
		\$4scrambl\$5) near3 key\$2) or				
		((\$4symmetr\$4 or \$4privat\$3 or	,			
		\$4shar\$3 or \$common\$4 or				
		\$4public\$4) near3 key\$2)) (
		(Identity or Personas) with (Primary				
		or Master or Initial or Session or				
		First) with key\$2) ((Identity or				
		Personas) with (\$4Trust\$6 or				
		\$4Secur\$4 or \$4Protect\$4 or				
		Priva\$6 or Masquerad\$5 or				
		Camouflag\$4 or Disguis\$4 or				
		Mask\$4)) ((Generat\$4 or Creat\$4				
		or Construct\$4 or Obtain\$4 or				
		Determin\$4 or Derive\$4 or				
		Produc\$4 or Calculat\$4 or				
		Comput\$4 or Process\$4 or defin\$4)				
		with (Consumer\$4 or Client\$4 or	·			
		Customer\$4 or User\$4 or				
		Individual\$4 or \$4Subscrib\$4) with				
		(Sequenc\$4 or Chain\$4 or String\$4				
		or Series\$4 or Ticket\$5 or Token\$4				•
		or Password\$2 or Pass?phrase\$2 or	1			
1		Secret?code or Secret?word or PIN				
	<u></u>	or Login\$2 or Sign\$2))	<u> </u>	<u> </u>		

	· 			1	1	
S23	16	S22 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 21:03
S24	10	(((Identity or Personas) with (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)) SAME ((\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) with (\$4commerc\$5 or Business or Service\$5 or Shopp\$ or Transact\$5))) (((\$4digital\$4 or authorit\$4 or identity or Personas) with (\$4signatur\$4 or \$4Certific\$8)) SAME (((\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) near3 key\$2) or ((\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) near3 key\$2)) SAME ((Identity or Personas) with (Primary or Master or Initial or Session or First) with key\$2)) ((Identity or Personas) with (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4)) ((Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Creat\$4 or Comput\$4 or Process\$4 or defin\$4) with (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) with Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) with Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Client\$4 or Customer\$4 or Client\$5 or Customer\$4 or User\$4 or Client\$5 or Customer\$4 or User\$4 or Client\$5 or Customer\$4 or User\$4 or Client\$5 or Customer\$6 o	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON.	2007/11/10 20:59
		Individual\$4 or \$4Subscrib\$4) with (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))				
S25	4	S24 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 21:15

	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		I		1
S26	4943	(((Identity or Personas) with (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4)).ti. ((Identity or Personas) with (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)).ti.) (((Identity or Personas) with (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4)).ab. ((Identity or Personas) with (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)). ab.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 21:06
S27	25	(Identity or Personas) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (\$4commerc\$5 or Business or Service\$5 or Shopp\$6 or Transact\$5) (\$4digital\$4 or authorit\$4 or identity or Personas) (\$4signatur\$4 or \$4Certific\$8) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) (\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) (Primary or Master or Initial or Session or First) key\$2 (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2007/11/10 21:13

<u></u>	<u> </u>		Γ	ıi		1
S28	12	S27 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 21:28
S29	10564	(Identity or Personas) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (\$4commerc\$5 or Business or Service\$5 or Shopp\$ or Transact\$5) (\$4digital\$4 or authorit\$4 or identity or Personas) (\$4signatur\$4 or \$4Certific\$8) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) (\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) (Primary or Master or Initial or Session or First) key\$2 (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 13:52
S30	351	S26 S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 21:27
S31	199	S30 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 21:33

· · · · · ·				r:		r
S32	9	(US-20040162984-\$ or US-20040064335-\$ or US-20040003251-\$ or US-20040143738-\$ or US-20030158960-\$).did. or (US-7249380-\$ or US-4956863-\$ or US-6993652-\$ or US-6769060-\$). did.	US-PGPUB; USPAT	AND	ON	2007/11/10 21:31
S33	9	S32 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 21:47
S34	108125	"380".clas. "713".clas. "726".clas. "705".clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/10 21:37
S35	165	S31 S34	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 21:37
S36	31177	((Primary or Master or Initial or Session or First) same key\$2 same (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) same (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) same (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/10 21:44

		T	I	T		
S37	133	((((Identity or Personas) with	US-PGPUB;	AND	ON	2007/11/12 16:42
		(\$4Trust\$6 or \$4Secur\$4 or	USPAT;		•	
	·	\$4Protect\$4 or Priva\$6 or	USOCR;			
		Masquerad\$5 or Camouflag\$4 or	EPO; JPO;			
		Disguis\$4 or Mask\$4)).ti. or	DERWENT;			
		, -	,			
		((Identity or Personas) with (Steal\$4	IBM_TDB			
		or Theft or Fraud\$5 or Hack\$4 or				
Ì		compromis\$4 or Hoax or Trick\$4 or				
		Scam\$4 or Unlawful\$4 or Illegal\$4				
		or Misuse\$4 or Eavesdrop\$6 or				
,		Repudiat\$6 or Pharming or Phishing				
		or Carder)).ti.) or (((Identity or				
		Personas) with (\$4Trust\$6 or				
		1				
		\$4Secur\$4 or \$4Protect\$4 or				
		Priva\$6 or Masquerad\$5 or				
		Camouflag\$4 or Disguis\$4 or				
		Mask\$4)).ab. or ((Identity or				
		Personas) with (Steal\$4 or Theft or				
	,	Fraud\$5 or Hack\$4 or compromis\$4				·
*		or Hoax or Trick\$4 or Scam\$4 or				
		Unlawful\$4 or Illegal\$4 or Misuse\$4				
		or Eavesdrop\$6 or Repudiat\$6 or				
		Pharming or Phishing or Carder)).			.,	
		ab.)) (Identity or Personas)				
•		(Steal\$4 or Theft or Fraud\$5 or				
	:	Hack\$4 or compromis\$4 or Hoax or	·			
		Trick\$4 or Scam\$4 or Unlawful\$4 or				
		Illegal\$4 or Misuse\$4 or				
		Eavesdrop\$6 or Repudiat\$6 or]		ì
		Pharming or Phishing or Carder)				
		(\$4Trust\$6 or \$4Secur\$4 or				
		\$4Protect\$4 or Priva\$6 or				
		Masquerad\$5 or Camouflag\$4 or				
		, , ,				
		Disguis\$4 or Mask\$4)				
		(\$4commerc\$5 or Business or				
		Service\$5 or Shopp\$5 or				
		Transact\$5) (\$4digital\$4 or				
		authorit\$4 or identity or Personas)				
		(\$4signatur\$4 or \$4Certific\$8)				
		(\$4crypt\$5 or \$4cipher\$5 or				1
		\$4scrambl\$5) (\$4symmetr\$4 or				
		\$4privat\$3 or \$4shar\$3 or				į
		\$common\$4 or \$4public\$4) (
		(Primary or Master or Initial or	1			
		Session or First) same key\$2 same	İ			
		(Consumer\$4 or Client\$4 or				• 1
		Customer\$4 or User\$4 or				
		Individual\$4 or \$4Subscrib\$4) same				
1		(Generat\$4 or Creat\$4 or				
		Construct\$4 or Obtain\$4 or				
		Determin\$4 or Derive\$4 or		*		
		Produc\$4 or Calculat\$4 or	1	1		
		Comput\$4 or Process\$4 or defin\$4)].		•	
		same (Sequenc\$4 or Chain\$4 or				
		String\$4 or Series\$4 or Ticket\$5 or				
		Token\$4 or Password\$2 or				
11/12/2	2007 10:00:58					Page 20
C:\Docu	uments and Se	TBass?phrase\$2 or Secret?code or ttings\tigergisoyMy Documents\EA\$1\Works Secret?word or PIN or Login\$2 or	paces\10729398	3\10729398.v	ysp	
•						. 1
!	1	Sign¢2) \	1	1	1	1

S38	73	S37 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:25
S39	23	(US-20030158960-\$ or US-20040003251-\$ or US-20040064335-\$ or US-20040143738-\$ or US-20040162984-\$ or US-20040098589-\$ or US-20040098589-\$ or US-2004001696-\$ or US-20040006699-\$ or US-20040002903-\$ or US-20030135740-\$ or US-20030072450-\$ or US-2003007068-\$ or US-20030074589-\$ or US-20020055146-\$ or US-20020055146-\$ or US-20010027519-\$).did. or (US-6769060-\$ or US-6993652-\$ or US-7249380-\$ or US-7017041-\$ or US-6886096-\$).did.	US-PGPUB; USPAT	AND	ON	2007/11/10 22:41
S40	24	(US-20040162984-\$ or US-20040064335-\$ or US-20040003251-\$ or US-20030190046-\$ or US-20030158960-\$ or US-20030158960-\$ or US-20030070068-\$ or US-20040098589-\$ or US-20040083184-\$ or US-20040006699-\$ or US-20040002903-\$ or US-20030072450-\$ or US-20030072450-\$ or US-20020059146-\$ or US-20020059146-\$ or US-20010027519-\$).did. or (US-7249380-\$ or US-6769060-\$ or US-7017041-\$ or US-6886096-\$).did.	US-PGPUB; USPAT	AND	ON	2007/11/12 12:25

S41	23	S40 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:51
S42		S40 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:26
S43	2	((Identity or Personas) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)).ti. ((Primary or Master or Initial or Session or First) same key\$2 same (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) same (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) same (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:31

S44	37	((Identity or Personas) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)). ab. ((Primary or Master or Initial or Session or First) same key\$2 same (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) same (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) same (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:47
S45	18	S44 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:32
S46	881	((Identity or Personas) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)). ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:47

S47	3547	((Identity or Personas) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or Compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)). ab. or ((Primary or Master or Initial or Session or First) key\$2 (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Calculat\$4 or Comput\$4 or Chain\$4 or String\$4 or Series\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:49
		or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2)).ab.				·
S48	10	((Identity or Personas) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder)). ab. ((Primary or Master or Initial or Session or First) key\$2 (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 12:49

S49 _	6	S48 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 16:21
S50	26	(US-20040162984-\$ or US-20040064335-\$ or US-20040003251-\$ or US-20030190046-\$ or US-20030158960-\$ or US-20030158960-\$ or US-20040098589-\$ or US-200400083184-\$ or US-20040016696-\$ or US-20040006699-\$ or US-20040002903-\$ or US-20030072450-\$ or US-20030061484-\$ or US-20030061484-\$ or US-20030061484-\$).did. or (US-7249380-\$ or US-6993652-\$ or US-6769060-\$ or US-7017041-\$ or US-6886096-\$ or US-4218738-\$). did. or (KR-2003095751-\$).did.	US-PGPUB; USPAT; DERWENT	AND	ON	2007/11/12 13:50

11/12/2007 10:00:58 PM C:\Documents and Settings\tgergiso\My Documents\EAST\Workspaces\10729398\10729398.wsp Page 25

S51	23	S50 (Identity or Personas) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (\$4commerc\$5 or Business or Service\$5 or Shopp\$ or Transact\$5) (\$4digital\$4 or authorit\$4 or identity or Personas) (\$4signatur\$4 or \$4Certific\$8) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) (\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) (Primary or Master or Initial or Session or First) key\$2 (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 15:19
S52	3	or Login\$2 or Sign\$2) S50 not S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 13:58
S53	2	"6853739".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 15:08
S54	2	"6539101".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 15:11

S55 4 S56 14	(US-20040098589-\$ or US-20040002903-\$ or US-20030190046-\$ or US-20030158960-\$ or US-20030072450-\$ or US-20030070068-\$ or US-20030061484-\$ or US-20030046589-\$ or US-20020059146-\$ or US-20010027519-\$).did. or (US-6993652-\$ or US-7017041-\$ or US-4218738-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; USPAT	OR	ON	2007/11/12 15:04
	US-20040002903-\$ or US-20030190046-\$ or US-20030158960-\$ or US-20030072450-\$ or US-20030070068-\$ or US-20030061484-\$ or US-20030046589-\$ or US-20020095569-\$ or US-20020059146-\$ or US-20010027519-\$).did. or (US-6993652-\$ or US-7017041-\$ or US-4218738-\$).did. S56 (Identity or Personas) (Steal\$4		AND	ON	2007/11/12 15:14
S57 14					
	or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (\$4commerc\$5 or Business or Service\$5 or Shopp\$ or Transact\$5) (\$4digital\$4 or authorit\$4 or identity or Personas) (\$4signatur\$4 or \$4Certific\$8) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) (\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) (Primary or Master or Initial or Session or First) key\$2 (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 16:17

S58	9	(US-20040162984-\$ or US-20040064335-\$ or US-20040003251-\$ or US-20040143738-\$ or US-20030158960-\$).did. or (US-7249380-\$ or US-4956863-\$ or US-6993652-\$ or US-6769060-\$). did.	US-PGPUB; USPAT	AND	ON	2007/11/12 16:17
S59	7	S58 (Identity or Personas) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (\$4commerc\$5 or Business or Service\$5 or Shopp\$ or Transact\$5) (\$4digital\$4 or authorit\$4 or identity or Personas) (\$4signatur\$4 or \$4Certific\$8) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) (\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) (Primary or Master or Initial or Session or First) key\$2 (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 16:17
S60	7	S59 @ad<"20031205"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 16:22

S61	17	(US-20040098589-\$ or US-20040002903-\$ or US-20030190046-\$ or US-20030158960-\$ or US-20030072450-\$ or US-20030070068-\$ or US-20030061484-\$ or US-20030046589-\$ or US-20020059146-\$ or US-20010027519-\$ or US-20040162984-\$ or US-2004003251-\$).did. or (US-6993652-\$ or US-7017041-\$ or US-4218738-\$).did.	US-PGPUB; USPAT	AND	ON	2007/11/12 16:37
S62	14	S61 ((Primary or Master or Initial or Session or First) same key\$2 same (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) same (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) same (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 16:51
S63	6	S61 ((Primary or Master or Initial or Session or First) with key\$2 with (Consumer\$4 or Client\$4 or Customer\$4 or User\$4 or Individual\$4 or \$4Subscrib\$4) with (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) with (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 16:52

						,
S64	17	(US-20040098589-\$ or US-20040002903-\$ or US-20030190046-\$ or US-20030158960-\$ or US-20030072450-\$ or US-20030070068-\$ or US-20030061484-\$ or US-20030046589-\$ or US-20020095569-\$ or US-20020059146-\$ or US-20010027519-\$ or US-20040162984-\$ or US-20040143738-\$ or US-20040003251-\$).did. or (US-6993652-\$ or US-7017041-\$ or US-4218738-\$).did.	US-PGPUB; USPAT	AND	ON	2007/11/12 18:56
S65	1	S64 ssl fingerp\$4 database\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 18:59
S66	1	S64 ssl fingerp\$4 database\$4 (Identity or Personas) (Steal\$4 or Theft or Fraud\$5 or Hack\$4 or compromis\$4 or Hoax or Trick\$4 or Scam\$4 or Unlawful\$4 or Illegal\$4 or Misuse\$4 or Eavesdrop\$6 or Repudiat\$6 or Pharming or Phishing or Carder) (\$4Trust\$6 or \$4Secur\$4 or \$4Protect\$4 or Priva\$6 or Masquerad\$5 or Camouflag\$4 or Disguis\$4 or Mask\$4) (\$4commerc\$5 or Business or Service\$5 or Shopp\$ or Transact\$5) (\$4digital\$4 or authorit\$4 or identity or Personas) (\$4signatur\$4 or \$4Certific\$8) (\$4crypt\$5 or \$4cipher\$5 or \$4scrambl\$5) (\$4symmetr\$4 or \$4privat\$3 or \$4shar\$3 or \$common\$4 or \$4public\$4) (Primary or Master or Initial or Session or First) key\$2 (Generat\$4 or Creat\$4 or Construct\$4 or Obtain\$4 or Determin\$4 or Derive\$4 or Produc\$4 or Calculat\$4 or Comput\$4 or Process\$4 or defin\$4) (Sequenc\$4 or Chain\$4 or String\$4 or Series\$4 or Ticket\$5 or Token\$4 or Password\$2 or Pass?phrase\$2 or Secret?code or Secret?word or PIN or Login\$2 or Sign\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/11/12 19:02